

Printing date 28.07.2023 Revision: 28.07.2023

1 Identification

- · Product identifier
- · Trade name: OpalTM BandTM Cement Base
- · Article number: SDS 219-001.07R02, 71100
- · Relevant identified uses of the substance or mixture and uses advised against Professional Orthodontic Cement
- · Application of the substance / the mixture Professional Orthodontic Cement
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ultradent Products, Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

onlineordersupport@ultradent.com

Ultradent Australia Pty Ltd.

Level 22/2 Market Street

Sydney NSW 2000

Australia

Email: info.anz@ultradent.com

Toll Free: 1-800-290929

- · Further information obtainable from: Customer Service
- · Emergency telephone number:

CHEMTREC (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887

2 Hazard(s) Identification

· Classification of the substance or mixture



corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements Void
- · Hazard pictograms GHS05, GHS07
- · Signal word Danger
- · Hazard-determining components of labelling:

Trade Secret

Triethylene Glycol Dimethacrylate

Methacrylic Acid

Diurethane Dimethacrylate

(Contd. on page 2)

Printing date 28.07.2023 Revision: 28.07.2023

Trade name: OpalTM BandTM Cement - Base

(Contd. of page 1)

· Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P103 Read label before use.

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

20882-04-6	Mono-2-(Methacryloyloxy) Ethyl Succinate	<10%
	💠 Skin Irrit. 2, H315; Serious eye damage/irritation — Category 2A, H319	
	Trade Secret	≥5-<10%
	🥎 Skin Corr. 1A, H314; Eye Dam. 1, H318	
109-16-0	Triethylene Glycol Dimethacrylate	≥1-<10%
	♦ Skin Sens. 1, H317	
72869-86-4	Diurethane Dimethacrylate	≥1-<10%
	♦ Skin Sens. 1, H317	
79-41-4	Methacrylic Acid	≥1-<3%
	Acute Tox. 3, H331; Skin Corr. 1A, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Flam. Liq. 4, H227	
64-17-5	Ethyl Alcohol	≥0-<10%
	🚸 Flam. Liq. 2, H225; 🕠 Serious eye damage/irritation – Category 2A, H319	
8013-76-1	Bitter almond oil	≥0-<10%
	Acute Tox. 3, H301; STOT RE 2, H373; Acute Tox. 4, H332; Serious eye damage/irritation – Category 2A, H319; STOT SE 3, H335; Flam. Liq. 4, H227	

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

This product is a thick paste, therefore inhalation is extremely unlikely.

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

Printing date 28.07.2023 Revision: 28.07.2023

Trade name: OpalTM BandTM Cement - Base

(Contd. of page 2)

· After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

· Suitable extinguishing agents:

Carbon dioxide

Foam

Water spray

Use fire extinguishing methods suitable to surrounding conditions.

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

· Protective equipment:

Wear fully protective suit.

Mouth respiratory protective device.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

See product labelling.

(Contd. on page 4)

Printing date 28.07.2023 Revision: 28.07.2023

Trade name: OpalTM BandTM Cement - Base

(Contd. of page 3)

Keep container tightly sealed.

· Specific end use(s) Professional Orthodontic Cement

8 Exposure controls and personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

79-41-4 Methacrylic Acid

WES Long-term value: 70 mg/m³, 20 ppm

64-17-5 Ethyl Alcohol

WES Long-term value: 1880 mg/m³, 1000 ppm

- Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and Chemical Properties

- · General Information
- · Appearance:
- Form: Paste

(Contd. on page 5)

Printing date 28.07.2023 Revision: 28.07.2023

Trade name: OpalTM BandTM Cement - Base

(Contd. of page 4)

Colour: Blue
Odour: Sweetish
Odour threshold: Not determined.

· pH-value: Not applicable (non-aqueous)

· Change in condition

Melting point/freezing point:
 Initial boiling point and boiling range:
 Flash point:
 Flammability (solid, gas):
 Decomposition temperature:
 Undetermined.
 100 °C
 Not applicable.
 Not determined.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.
Vapour pressure: Not determined.
Density: Not determined.
Relative density Not determined.
Vapour density Not determined.
Evaporation rate Not determined.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined.
Kinematic: Not determined.

• Other information No further relevant information available.

10 Stability and Reactivity

- · Reactivity Polymerization occurs when exposed to amine catalysts, metal, or pressure.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- · Conditions to avoid: Pressure
- · Incompatible materials:

Amine Catalysts

Metals

· Hazardous decomposition products: Carbon dioxide

11 Toxicological Information

- Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

AT	E (Acu	te Toxicity .	Estimates)
_	1	I D 50	53 000

Oral	LD50	53,000 mg/kg
Dermal	LD50	25,000 mg/kg
Inhalative	LC50/4 h	355 mg/l

(Contd. on page 6)

Printing date 28.07.2023 Revision: 28.07.2023

Trade name: OpalTM BandTM Cement - Base

		(Contd. of page	
109-16-0 T	Triethylene (Glycol Dimethacrylate	
Oral	LD50	>5,000 mg/kg (rat)	
	LC50 Fish	16.4 mg/l (Fish) (Toxicity to fish)	
Dermal	LD50	>2,000 mg/kg (mouse)	
72869-86-	4 Diurethan	e Dimethacrylate	
Oral	LD50	>5,000 mg/kg (rat)	
79-41-4 M	79-41-4 Methacrylic Acid		
Oral	LD50	1,250 mg/kg (mouse)	
		1,060 mg/kg (rat)	
		1,200 mg/kg (rabbit)	
	LC50 Fish	86 mg/l (Fish)	
Dermal	LD50	1,000 mg/kg (Guinea pig)	
		500 mg/kg (rabbit)	
Inhalative	LC50/4 h	7.1 mg/l (rat)	
64-17-5 Et	thyl Alcohol		
Oral	LD50	5,600 mg/kg (Guinea pig)	
		3,400 mg/kg (mouse)	
		7,060 mg/kg (rat)	
	LC50 Fish	>10,000 mg/l (Fish)	
Inhalative	LC50/4 h	39 mg/l (mouse)	
		20,000 mg/l (rat)	

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity

Ethyl Alcohol, Silica Glass, Co-Cr-AL Spinel Blue Green are on the IARC list of carcinogens.

Based on available data, the classification criteria are not met.

Reproductive toxicity

Does not meet the classification criteria for this hazard class.

Based on available data, the classification criteria are not met.

· STOT-single exposure

Does not meet the classification criteria for this hazard class.

Based on available data, the classification criteria are not met.

· STOT-repeated exposure

Does not meet the classification criteria for this hazard class.

Based on available data, the classification criteria are not met.

· Aspiration hazard

Does not meet the classification criteria for this hazard class.

Based on available data, the classification criteria are not met.

ΑU

Printing date 28.07.2023 Revision: 28.07.2023

Trade name: OpalTM BandTM Cement - Base

(Contd. of page 6)

12 Ecological Information

· Toxicity

Touchy		
· Aquatic toxicity:		
109-16-0 Triethylene Glycol Dimethacrylate		
EC50	>100 mg/kg (Algae)	
Biodegradability	Biodegradability 28 days (Aerobic) (Biodegradability testing)	
Aqua toxicity	Aqua toxicity 32 mg/l (daphnia) (No Observed Effect Concentration)	
72869-86-4 Diurethane Dimethacrylate		
EC50	>0.6 mg/kg (Algae)	
Biodegradability	Biodegradability 28 days (Aerobic) (Biodegradability testing)	
79-41-4 Methacrylic Acid		
EC50	EC50 17,000 mg/kg (Algae)	
	<180 mg/kg (daphnia) (Toxicity to aquatic invertebrates)	
64-17-5 Ethyl Alcohol		
Algae Toxicity	Algae Toxicity 1,000 mg/l (Algae)	

- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Dispose of contents/container in accordance with international, federal, state, and local regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · UN-Number
- · ADG, ADN, IMDG, IATA not regulated
- · UN proper shipping name
- · ADG, ADN, IMDG, IATA not regulated

(Contd. on page 8)

Revision: 28.07.2023 Printing date 28.07.2023

Trade name: OpalTM BandTM Cement - Base

		(Contd. of page 7)
· Transport hazard class(es)		
· ADG, ADN, IMDG, IATA · Class	not regulated	
· Packing group · ADG, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not Applicable	
· Transport in bulk according to Annex L and the IBC Code	I of Marpol Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian I	· Australian Inventory of Industrial Chemicals	
20882-04-6	Mono-2-(Methacryloyloxy) Ethyl Succinate	
109-16-0	Triethylene Glycol Dimethacrylate	
72869-86-4	Diurethane Dimethacrylate	
	Trade Secret	
79-41-4	Methacrylic Acid	
64-17-5	Ethyl Alcohol	
	Co-Cr-AL Spinel Blue Green	
14808-60-7	Silica Glass	
8013-76-1	Bitter almond oil	
128-37-0	Butylated Hydroxytoluene	
· Standard fo	Standard for the Uniform Scheduling of Medicines and Poisons	
None of the	None of the ingredients is listed.	

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment:

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases from Section 3

H225 Highly flammable liquid and vapour.

H227 Combustible liquid.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

(Contd. on page 9)

Printing date 28.07.2023 Revision: 28.07.2023

Trade name: OpalTM BandTM Cement - Base

(Contd. of page 8)

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

- · Department issuing SDS: Environmental, Health, and Safety
- · Contact: Customer Service
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 4: Flammable liquids - Category 4

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

* * Data compared to the previous version altered.

AU