

Page 1/9

Safety Data Sheet according to WHS Regulations

Printing date 07.08.2023

*

Revision: 07.08.2023

1 Identification
· Product identifier
· Trade name: <u>OpalescenceTM Endo</u>
 Article number: SDS 74-001.11R02, 35263 Relevant identified uses of the substance or mixture and uses advised against Professional Dental Bleaching Get Application of the substance / the mixture Professional Dental Bleaching Get
• Details of the supplier of the safety data sheet • Manufacturer/Supplier: Ultradent Products, Inc. 505 W. Ultradent Drive (10200 S) South Jordan, UT 84095-3942 USA onlineordersupport@ultradent.com
Ultradent Australia Pty Ltd. Level 22/2 Market Street Sydney NSW 2000 Australia Email: info.anz@ultradent.com Toll Free: 1-800-290929
• Further information obtainable from: Customer Service • Emergency telephone number: CHEMTREC (NORTH AMERICA) :(800) 424-9300 (INTERNATIONAL) : +(703) 527-3887
2 Hazard(s) Identification
· Classification of the substance or mixture
Corrosion
Eye Dam. 1 H318 Causes serious eye damage.
Acute Tox. 4 H302 Harmful if swallowed.
Skin Irrit. 2 H315 Causes skin irritation.
· Label elements · GHS label elements Void · Hazard pictograms GHS05, GHS07

- · Signal word Danger
- *Hazard-determining components of labelling: Hydrogen Peroxide*
- *Hazard statements* H302 Harmful if swallowed.

(Contd. on page 2)

AU

Printing date 07.08.2023

Revision: 07.08.2023

(Contd. of mage 1)

>31-<39%

Trade name: OpalescenceTM Endo

	(Contd. of page 1)
H315 Causes skir	n irritation.
H318 Causes serv	ious eye damage.
· Precautionary sta	atements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P280	Wear eye protection / face protection.
P305+P351+P33	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

7722-84-1 Hydrogen Peroxide

♦ Ox. Liq. 1, H271; ♦ Skin Corr. 1A, H314; ♦ Acute Tox. 4, H302; Acute Tox. 4, H332

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

This product is a viscous gel, therefore chance of inhalation is extremely low.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Call for a doctor immediately.
- Information for doctor:

· Most important symptoms and effects, both acute and delayed Eye irritant, Skin irritant

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

· Suitable extinguishing agents:

Water spray

Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)

Printing date 07.08.2023

Revision: 07.08.2023

(Contd. of page 2)

Trade name: OpalescenceTM Endo

• Special hazards arising from the substance or mixture

In closed unventilated containers, risk of rupture due to the increased pressure from decomposition. Contact with combustible material may cause fire.

• Advice for firefighters:

Use water spray to cool fire exposed surfaces and protect personnel. Move containers from fire area if there isn't any risk.

· Protective equipment: Wear fully protective suit.

6 Accidental Release Measures

• Personal precautions, protective equipment and emergency procedures Keep people at a distance and stay on the windward side.

Keep away from ignition sources.

Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Hydrogen Peroxide may be decomposed by adding sodium metabisulfite or sodium sulfite after diluting to about 5%.

Stop the flow of material, if this is without risk.

Combustible materials exposed to hydrogen peroxide should be immediately submerged in or rinsed with large amounts of water to ensure that all hydrogen peroxide is removed. Residual hydrogen peroxide that is allowed to dry (upon evaporation hydrogen peroxide can concentrate) on organic materials such as paper, fabrics, cotton, leather, wood or other combustibles can cause the material to ignite and result in fire. Dilute with plenty water.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

· Handling:

- · Precautions for safe handling:
- Keep away from heat and direct sunlight.

Safety glasses should be used by the patient and doctor. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EN).

· Information about fire - and explosion protection:

Combustible materials exposed to hydrogen peroxide should be immediately submerged in or rinsed with large amounts of water to ensure that all hydrogen peroxide is removed. Residual hydrogen peroxide that is allowed to dry (upon evaporation hydrogen peroxide can concentrate) on organic materials such as paper, fabrics, cotton, leather, wood or other combustibles can cause the material to ignite and result in fire.

· Storage:

• Requirements to be met by storerooms and receptacles: Suitable material for receptacles and pipes: Stainless steel. Suitable material for receptacles and pipes: glass. Suitable material for receptacles and pipes: Aluminium. Store only in the original receptacle. Provide ventilation for receptacles.

(Contd. on page 4)

AU

Printing date 07.08.2023

Revision: 07.08.2023

Trade name: OpalescenceTM Endo

(Contd. of page 3)

- Information about storage in one common storage facility: Store away from reducing agents.
 Store away from combustible materials.
 Store away from metals.
 Further information about storage conditions:
- Store receptacle in a well ventilated area. Store in a cool place. See product labelling. Keep container tightly sealed. • **Specific end use(s)** Professional Dental Bleaching Gel

8 Exposure controls and personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

7722-84-1 Hydrogen Peroxide

WES Long-term value: 1.4 mg/m³, 1 ppm

- Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the skin.

Avoid contact with the eyes and skin.

- Respiratory protection: Use suitable respiratory protective device when high concentrations are present.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.


Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



· Body protection: Protective work clothing

(Contd. on page 5)

Printing date 07.08.2023

Revision: 07.08.2023

Trade name: Opalescence[™] Endo

(Contd. of page 4)

9 Physical and Chemical Properties					
· General Information					
· Appearance:					
· Form:	Paste				
· Colour:	Clear to White				
· Odour:	Odourless				
· Odour threshold:	Not determined.				
· pH-value at 20 °C:	3-5				
Change in condition					
• Melting point/freezing point:	Undetermined.				
· Initial boiling point and boiling range:	: Undetermined.				
· Flash point:	Not applicable.				
Flammability (solid, gas):	Not applicable.				
• Decomposition temperature:	Not determined.				
• Auto-ignition temperature:	Product is not selfigniting.				
• Explosive properties:	Product does not present an explosion hazard.				
· Explosion limits:					
· Lower:	Not determined.				
· Upper:	Not determined.				
· Vapour pressure:	Not determined.				
· Density at 20 °C:	1.23 g/cm^3				
· Relative density	Not determined.				
· Vapour density	Not determined.				
· Evaporation rate	Not determined.				
· Solubility in / Miscibility with					
water:	Partly soluble.				
• Partition coefficient: n-octanol/water:	Not determined.				
· Viscosity:					
· Dynamic:	Not determined.				
· Kinematic:	Not determined.				
• Other information	No further relevant information available.				

10 Stability and Reactivity

· Reactivity Reactive and oxidizing agent

• Thermal decomposition / conditions to be avoided: Decomposes when exposed to heat

• Possibility of hazardous reactions:

Contact with metals, metallic ions, alkalis, reducing agents and organic matter (such as alcohols or terpenes) may produce self-accelerated thermal decomposition. Reacts with various metals. Reacts with organic substances.

• Conditions to avoid:

pH Variations UV rays Contamination Metals Water, Moist Air Heat Avoid strong bases Incompatible materials: Heavy Metals

(Contd. on page 6)

⁻ AU

Printing date 07.08.2023

Revision: 07.08.2023

Trade name: OpalescenceTM Endo

(Contd. of page 5)

Reducing Agents Combustible Materials Organic materials Strong caustics, most metals • Hazardous decomposition products: Oxygen

11 Toxicological Information

• Information on toxicological effects • Acute toxicity Harmful if swallowed.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

 Oral
 LD50
 1,418 mg/kg

 Inhalative
 LC50/4 h
 31.2 mg/l

7722-84-1 Hydrogen Peroxide

Oral LC50 Fish 16.4 mg/l (Fish)

Skin corrosion/irritation Causes skin irritation.

· Serious eye damage/irritation Causes serious eye damage.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.*

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

· Toxicity

• Aquatic toxicity:

7722-84-1 Hydrogen Peroxide

EC50 1.38 mg/l (Algae)

2.4 mg/l (daphnia)

• *Persistence and degradability* No further relevant information available.

· Behaviour in environmental systems:

· Bioaccumulative potential No further relevant information available.

· Mobility in soil No further relevant information available.

• Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 07.08.2023

Revision: 07.08.2023

Trade name: OpalescenceTM Endo

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation

Dispose of contents/container in accordance with international, federal, state, and local regulations.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

UN-Number				
ADG, IMDG, IATA	UN3265			
UN proper shipping name				
ADG	3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O. (HYDROGEN PEROXIDE, AQUEOUS SOLUTIO STABILIZED)			
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O. (HYDROGEN PEROXIDE, STABILIZED)			
Transport hazard class(es)				
ADG, IMDG, IATA				
and the second s				
Class	8 Corrosive substances. 8			
Label				
Packing group ADG, IMDG, IATA	II			
Environmental hazards:	Not applicable.			
Special precautions for user	Warning: Corrosive substances.			
Hazard identification number (Kemler code):	80			
EMS Number:	F-A,S-B			
Segregation groups	(SGG1) Acids			
Stowage Category	В			
Stowage Code	SW2 Clear of living quarters.			
Segregation Code	SG36 Stow "separated from" SGG18-alkalis.			
	SG49 Stow "separated from" SGG6-cyanides			
Transport in bulk according to Annex II of Mar				
and the IBC Code	Not applicable.			
Transport/Additional information:				
ADG				
Limited quantities (LQ)	1L			
Excepted quantities (EQ)	Code: E2			
-	Maximum net quantity per inner packaging: 30 ml			
	Maximum net quantity per outer packaging: 500 ml			
Transport category	2			

Printing date 07.08.2023

Revision: 07.08.2023

S5, S6, S10

S5, S6, S10

Trade name: OpalescenceTM Endo

	(Contd. of page 7)		
• Tunnel restriction code	E		
·IMDG			
· Limited quantities (LQ)	1L		
\cdot Excepted quantities (EQ)	Code: E2		
	Maximum net quantity per inner packaging: 30 ml		
	Maximum net quantity per outer packaging: 500 ml		
· UN "Model Regulation":	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (HYDROGEN PEROXIDE, AQUEOUS SOLUTION,		
	STABILIZED), 8, II		

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory	, of	^c Industrial	Chemicals
------------------------	------	-------------------------	-----------

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

7722-84-1 Hydrogen Peroxide

Potassium Hydroxide

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment:

Product contains high levels of hydrogen peroxide, which has a known toxicological profile. Product is only to be used by licensed dental professionals using the specified engineering controls.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases from Section 3
 H271 May cause fire or explosion; strong oxidizer.
 H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.
 H332 Harmful if inhaled.

- · Department issuing SDS: Environmental, Health, and Safety
- · Contact: Customer Service

Abbreviations and acronyms:
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Ox. Liq. 1: Oxidizing liquids – Category 1

(Contd. on page 9)

AU

Printing date 07.08.2023

Revision: 07.08.2023

Trade name: Opalescence[™] Endo

Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 • * Data compared to the previous version altered. (Contd. of page 8)

AU —