

Safety Data Sheet
according to WHS Regulations

Printing date 13.10.2023

Revision: 13.10.2023

1 Identification

- **Product identifier**
- **Trade name:** *Ultrapak™ Dental Retraction Cord (All Sizes)*
- **Article number:** *SDS 189-001.07R01, 19801, 19802, 19803, 19804, 10285, 30904, 30905, 30906, 30907, 15315*
- **Relevant identified uses of the substance or mixture and uses advised against**
Professional Dental Retraction Cord
- **Application of the substance / the mixture** *Professional Dental Retraction Cord*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
*Ultradent Products, Inc.
505 W. Ultradent Drive (10200 S)
South Jordan, UT 84095-3942
USA
onlineordersupport@ultradent.com*
- Ultradent Australia Pty Ltd.
Level 22/2 Market Street
Sydney NSW 2000
Australia
Email: info.anz@ultradent.com
Toll Free: 1-800-290929*
- **Further information obtainable from:** *Customer Service*
- **Emergency telephone number:**
*CHEMTREC (NORTH AMERICA) : (800) 424-9300
(INTERNATIONAL) : +(703) 527-3887*

2 Hazard(s) Identification

- **Classification of the substance or mixture**
The substance is not classified, according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** *Void*
- **Hazard pictograms** *Void*
- **Signal word** *Void*
- **Hazard statements** *Void*

3 Composition and Information on Ingredients

- **Chemical characterisation:** *Mixtures*
- **Description:** *Mixture of substances listed below with nonhazardous additions.*
Cotton

4 First Aid Measures

- **General information:** *No special measures required.*
- **After inhalation:** *None*

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 13.10.2023

Revision: 13.10.2023

Trade name: Ultrapak™ Dental Retraction Cord (All Sizes)

(Contd. of page 1)

- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** None
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Protective equipment:** No special measures required.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

- **Handling:**
- **Precautions for safe handling:** No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** See product labelling.
- **Specific end use(s)** Professional Dental Retraction Cord

8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Ingredients with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 3)

Safety Data Sheet according to WHS Regulations

Printing date 13.10.2023

Revision: 13.10.2023

Trade name: Ultrapak™ Dental Retraction Cord (All Sizes)

(Contd. of page 2)

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Not required.
- **Body protection:** Protective work clothing

9 Physical and Chemical Properties

- **General Information**
- **Appearance:**
- **Form:** Knitted Cord
- **Colour:** Various
- **Odour:** Odourless
- **Odour threshold:** Not determined.
- **pH-value:** Not applicable.
- **Change in condition**
- **Melting point/freezing point:** Not determined
- **Initial boiling point and boiling range:** Not determined
- **Flash point:** Not applicable.
- **Flammability (solid, gas):** Product is not flammable.
- **Decomposition temperature:** Not determined.
- **Auto-ignition temperature:** Not determined.
- **Explosive properties:** Product does not present an explosion hazard.
- **Explosion limits:**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Vapour pressure:** Not applicable.
- **Density:** Not determined.
- **Relative density** Not determined.
- **Vapour density** Not applicable.
- **Evaporation rate** Not applicable.
- **Solubility in / Miscibility with**
- **water:** Insoluble.
- **Partition coefficient: n-octanol/water:** Not determined.
- **Viscosity:**
- **Dynamic:** Not applicable.
- **Kinematic:** Not applicable.
- **Other information** No further relevant information available.

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.

(Contd. on page 4)

-AU-

Safety Data Sheet according to WHS Regulations

Printing date 13.10.2023

Revision: 13.10.2023

Trade name: Ultrapak™ Dental Retraction Cord (All Sizes)

(Contd. of page 3)

· **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity**
Does not meet the classification criteria for this hazard class.
Based on available data, the classification criteria are not met.
- **Carcinogenicity**
Does not meet the classification criteria for this hazard class.
Based on available data, the classification criteria are not met.
- **Reproductive toxicity**
Does not meet the classification criteria for this hazard class.
Based on available data, the classification criteria are not met.
- **STOT-single exposure**
Does not meet the classification criteria for this hazard class.
Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**
Does not meet the classification criteria for this hazard class.
Based on available data, the classification criteria are not met.
- **Aspiration hazard**
Does not meet the classification criteria for this hazard class.
Based on available data, the classification criteria are not met.

12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Smaller quantities can be disposed of with household waste.
Dispose of contents/container in accordance with international, federal, state, and local regulations.

(Contd. on page 5)

Safety Data Sheet according to WHS Regulations

Printing date 13.10.2023

Revision: 13.10.2023

Trade name: Ultrapak™ Dental Retraction Cord (All Sizes)

(Contd. of page 4)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· ADG, IMDG, IATA	not regulated
· ADN	Not Regulated
· UN proper shipping name	
· ADG, IMDG, IATA	not regulated
· Transport hazard class(es)	
· ADG, IMDG, IATA	
· Class	not regulated
· ADNR Class:	Not Regulated
· Packing group	
· ADG, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not Applicable
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture
· Australian Inventory of Industrial Chemicals Substance is not listed.
· Standard for the Uniform Scheduling of Medicines and Poisons Substance is not listed.
· Australia: Priority Existing Chemicals Substance is not listed.
· Directive 2012/18/EU
· Named dangerous substances - ANNEX I Substance is not listed.
· Chemical safety assessment: Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environmental, Health, and Safety
- **Contact:** Customer Service

(Contd. on page 6)

Safety Data Sheet
according to WHS Regulations

Printing date 13.10.2023

Revision: 13.10.2023

Trade name: Ultrapak™ Dental Retraction Cord (All Sizes)

(Contd. of page 5)

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

· *** Data compared to the previous version altered.**

-AU-