

Printing date 09/21/2023 Reviewed on 09/21/2023

1 Identification

- · Product identifier
- · Trade name: Opalescence™ Boost 38% and 40% Bleaching Gel, Part 1 of 2
- · Article number: SDS 198-001.13R01, 1008067, 34567
- · Application of the substance / the mixture Professional Dental Bleaching Gel, Part 1 of 2
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ultradent Products Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

onlineordersupport@ultradent.com

- · Information department: Customer Service
- · Emergency telephone number:

CHEMTREC (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



GHS03 Flame over circle

Oxidizing Liquids 1 H271 May cause fire or explosion; strong oxidizer.



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

- · Label elements
- · GHS label elements Void
- · Hazard pictograms GHS03, GHS05, GHS07
- · Signal word Danger
- · Health Hazard-determining components of labeling:

Hydrogen Peroxide

· Hazard statements

H271 May cause fire or explosion; strong oxidizer.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

Printing date 09/21/2023 Reviewed on 09/21/2023

Trade name: Opalescence™ Boost 38% and 40% Bleaching Gel, Part 1 of 2

(Contd. of page 1)

· Precautionary statements

P220 Keep/Store away from clothing and other combustible materials

P221 Take any precaution to avoid mixing with combustibles.

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P283 Wear fire/flame resistant/retardant clothing.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P306+P360 If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before

removing clothes.

P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P371+P380+P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of

explosion.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 3 Reactivity = 0

The substance possesses oxidizing properties.

· HMIS-ratings (scale 0 - 4)



3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

| · Dangerou | s components: | |
|------------|---------------------------------------|----------|
| 7722-84-1 | Hydrogen Peroxide | >36-<44% |
| | Synthetic Amorphous, Pyrogenic Silica | >1-<10% |

· Additional information:

The specific chemical identity of composition is being withheld as a trade secret. The specific chemical identity is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of paragraph §1910.1200.

Printing date 09/21/2023 Reviewed on 09/21/2023

Trade name: Opalescence™ Boost 38% and 40% Bleaching Gel, Part 1 of 2

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

This product is a viscous gel, therefore chance of inhalation is extremely low.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Call a doctor immediately.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Do not induce vomiting; call for medical help immediately.

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Water spray

Use fire fighting measures that suit the environment.

· Special hazards arising from the substance or mixture

In closed unventilated containers, risk of rupture due to the increased pressure from decomposition. Contact with combustible material may cause fire.

During heating or in case of fire poisonous gases are produced.

· Advice for firefighters

Use water spray to cool fire exposed surfaces and protect personnel. Move containers from fire area if there isn't any risk.

· Protective equipment:

Wear fully protective suit.

Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Keep people at a distance and stay on the windward side.

Keep away from ignition sources

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

(Contd. on page 4)

Printing date 09/21/2023 Reviewed on 09/21/2023

Trade name: Opalescence™ Boost 38% and 40% Bleaching Gel, Part 1 of 2

(Contd. of page 3)

· Methods and material for containment and cleaning up:

Hydrogen Peroxide may be decomposed by adding sodium metabisulfite or sodium sulfite after diluting to about 5%.

Stop the flow of material, if this is without risk.

Combustible materials exposed to hydrogen peroxide should be immediately submerged in or rinsed with large amounts of water to ensure that all hydrogen peroxide is removed. Residual hydrogen peroxide that is allowed to dry (upon evaporation hydrogen peroxide can concentrate) on organic materials such as paper, fabrics, cotton, leather, wood or other combustibles can cause the material to ignite and result in fire.

Dilute with plenty water.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Keep away from heat and direct sunlight.

Safety glasses should be used by the patient and doctor. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EN).

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Combustible materials exposed to hydrogen peroxide should be immediately submerged in or rinsed with large amounts of water to ensure that all hydrogen peroxide is removed. Residual hydrogen peroxide that is allowed to dry (upon evaporation hydrogen peroxide can concentrate) on organic materials such as paper, fabrics, cotton, leather, wood or other combustibles can cause the material to ignite and result in fire.

Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

Requirements to be met by storerooms and receptacles:

Suitable material for receptacles and pipes: Stainless steel.

Suitable material for receptacles and pipes: glass.

Suitable material for receptacles and pipes: Aluminium.

Store only in the original receptacle.

Provide ventilation for receptacles.

Information about storage in one common storage facility:

Store away from reducing agents.

 ${\it Store \ away \ from \ combustible \ materials.}$

Store away from metals.

· Further information about storage conditions:

Store receptacle in a well ventilated area.

Store in a cool place.

See product labelling.

Keep receptacle tightly sealed.

(Contd. on page 5)

Printing date 09/21/2023 Reviewed on 09/21/2023

Trade name: Opalescence™ Boost 38% and 40% Bleaching Gel, Part 1 of 2

(Contd. of page 4)

· Specific end use(s) Professional Dental Bleaching Gel

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

| · Components wi | th limit va | lues tha | t require monitoring | at the workplace: |
|-----------------|-------------|----------|----------------------|-------------------|
| 7733 0 / 1 TT 1 | D | | | |

7722-84-1 Hydrogen Peroxide PELLong-term value: 1.4 mg/m³, 1 ppm

RELLong-term value: 1.4 mg/m³, 1 ppm

TLVLong-term value: 1 ppm

Synthetic Amorphous, Pyrogenic Silica

ACGIH Short-term value: 10* 3 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Do not eat or drink while working.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/21/2023 Reviewed on 09/21/2023

Trade name: Opalescence™ Boost 38% and 40% Bleaching Gel, Part 1 of 2

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

| Information on basic physical and of | chemical properties |
|---------------------------------------|--|
| General Information | |
| Appearance: Form: | Gel |
| Color: | White |
| Odor: | Odorless |
| Odor threshold: | Not determined. |
| pH-value at 20°C: | 1.8-2.8 |
| Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | 114 °C |
| Flash point: | Not applicable |
| Flammability (solid, gaseous): | Not applicable. |
| Decomposition temperature: | Not determined. |
| Auto igniting: | Product is not selfigniting. |
| Danger of explosion: | Product does not present an explosion hazard. Explosive when mixed with combustible material. |
| Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Vapor pressure: | Not determined. |
| Density at 20 °C: | 1.3 g/cm^3 |
| Relative density | Not determined |
| Vapor density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Fully miscible. |
| Partition coefficient (n-octanol/wate | er): Not determined. |
| Viscosity: | |
| | N-4 d-4 |
| Dynamic: Kinematic: | Not determined. Not determined |

US

Printing date 09/21/2023 Reviewed on 09/21/2023

Trade name: Opalescence™ Boost 38% and 40% Bleaching Gel, Part 1 of 2

(Contd. of page 6)

10 Stability and reactivity

- · Reactivity Reactive and oxidizing agent
- · Chemical stability Stable under recommended conditions.
- · Thermal decomposition / conditions to be avoided: Decomposes when exposed to heat
- · Possibility of hazardous reactions

Contact with metals, metallic ions, alkalis, reducing agents and organic matter (such as alcohols or terpenes) may produce self-accelerated thermal decomposition.

Reacts with various metals.

Reacts with organic substances.

· Conditions to avoid

pH Variations

UV rays

Contamination

Heat

· Incompatible materials:

Heavy Metals

Reducing Agents

Combustible Materials

Alkalis

Metals

Organic materials

· Hazardous decomposition products: Oxygen

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| · LD/LC50 | · LD/LC50 values that are relevant for classification: | | | | |
|-------------|--|--|--|--|--|
| ATE (Acu | te Toxicity Estimate) | | | | |
| Oral | LD50 | 1,098 mg/kg | | | |
| Inhalative | LC50/4 h | 24.2 mg/l | | | |
| 7722-84-1 | 7722-84-1 Hydrogen Peroxide | | | | |
| Oral | LC50 Fish | 16.4 mg/l (Fish) | | | |
| Synthetic 2 | Amorphous, Pyrogenic S | Silica Si | | | |
| Oral | LD50 | >5,000 mg/kg (rat) (Oral Test Method) | | | |
| | LC50 Fish | >10,000 mg/l (Fish) (Toxicity to fish) | | | |
| Dermal | LD50 | >2,000 mg/kg (rabbit) (Dermal test method) | | | |
| | LC50(Daphnia magna) | >1,000-10,000 mg/l (daphnia) (Toxicity to aquatic invertebrates) | | | |

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

(Contd. on page 8)

Printing date 09/21/2023 Reviewed on 09/21/2023

Trade name: Opalescence™ Boost 38% and 40% Bleaching Gel, Part 1 of 2

(Contd. of page 7)

Irritanı

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7722-84-1 Hydrogen Peroxide

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

7722-84-1 Hydrogen Peroxide

EC50 1.38 mg/l (Algae)

2.4 mg/l (daphnia)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential May be accumulated in organism
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Do not allow product to reach sewage system.

Dispose of contents/container in accordance with international, federal, state, and local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

. . .

Printing date 09/21/2023 Reviewed on 09/21/2023

Trade name: Opalescence™ Boost 38% and 40% Bleaching Gel, Part 1 of 2

(Contd. of page 8)

| JN2014 Hydrogen peroxide, aqueous solutions HYDROGEN PEROXIDE, AQUEOUS SOLUTION 5.1 Oxidizing substances 5.1, 8 |
|--|
| Hydrogen peroxide, aqueous solutions HYDROGEN PEROXIDE, AQUEOUS SOLUTION I. 1 Oxidizing substances |
| AYDROGEN PEROXIDE, AQUEOUS SOLUTION 1.1 Oxidizing substances |
| AYDROGEN PEROXIDE, AQUEOUS SOLUTION 1.1 Oxidizing substances |
| 1.1 Oxidizing substances |
| |
| |
| |
| |
| 7.1, 8 |
| |
| |
| |
| .1 Oxidizing substances |
| 7.1/8 |
| I.1 Oxidizing substances I.1 (8) |
| .1 (0) |
| I |
| |
| Not Applicable. |
| Varning: Oxidizing substances |
| 20 F-A,S-B |
| SGG1) Acids |
| } |
| W2 Clear of living quarters. |
| GG36 Stow "separated from" SGG18-alkalis. |
| GG49 Stow "separated from" SGG6-cyanides |
| Not Applicable. |
| |
| |
| On passenger aircraft/rail: 1 L |
| |

Printing date 09/21/2023 Reviewed on 09/21/2023

Trade name: Opalescence™ Boost 38% and 40% Bleaching Gel, Part 1 of 2

(Contd. of page 9)

| | (|
|----------------------------|---|
| · IMDG | |
| · Limited quantities (LQ) | IL |
| · Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| · UN "Model Regulation": | UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS, 5. (8), II |

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

7722-84-1 Hydrogen Peroxide

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

7722-84-1 Hydrogen Peroxide

ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· ACGIH Carcinogenicity (American Conference of Governmental Industrial Hygienists)

7722-84-1 Hydrogen Peroxide

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Chemical safety assessment:

Product contains high levels of hydrogen peroxide, which has a known toxicological profile. Product is only to be used by licensed dental professionals using the specified engineering controls.

Printing date 09/21/2023 Reviewed on 09/21/2023

Trade name: Opalescence™ Boost 38% and 40% Bleaching Gel, Part 1 of 2

(Contd. of page 10)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · **Department issuing SDS:** Environmental, Health, and Safety
- · Contact: Customer Service
- · Date of preparation / last revision 09/21/2023
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Oxidizing Liquids 1: Oxidizing liquids – Category 1

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1

* * Data compared to the previous version altered.

US