

Printing date 28.07.2023 Revision: 28.07.2023

1 Identification

· Product identifier

· Trade name: ClearTempTM LC

· Article number: SDS 256-001.05R02, 71106

· Relevant identified uses of the substance or mixture and uses advised against

Professional Temporary Veneer Cement

· Application of the substance / the mixture Professional Temporary Veneer Cement

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Ultradent Products, Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

onlineordersupport@ultradent.com

Ultradent Australia Pty Ltd.

Level 22/2 Market Street Sydney NSW 2000

Australia 2

Email: info.anz@ultradent.com

Toll Free: 1-800-290929

· Further information obtainable from: Customer Service

· Emergency telephone number:

CHEMTREC (NORTH AMERICA): (800) 424-9300

(INTERNATIONAL): +(703) 527-3887

2 Hazard(s) Identification

· Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Serious eye damage/irritation - Category 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements Void
- · Hazard pictograms GHS07
- · Signal word Warning
- Hazard-determining components of labelling:

Triethylene Glycol Dimethacrylate

Trade Secret

Methacrylic Acid

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

(Contd. on page 2)

Printing date 28.07.2023 Revision: 28.07.2023

Trade name: ClearTempTM LC

H317 May cause an allergic skin reaction.

(Contd. of page 1)

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous co	· Dangerous components:			
109-16-0	Triethylene Glycol Dimethacrylate	10-<30%		
	♦ Skin Sens. 1, H317			
100402-78-6	2-Propenoic Acid, 2-Methyl-, 3-9Trimethoxysilyl)Propylester, Reaction Products with	10-<30%		
	Silica			
	🚸 Self-heat. 2, H252			
	Trade Secret	≥5-<10%		
	♦ Skin Corr. 1A, H314; Eye Dam. 1, H318			
79-41-4	Methacrylic Acid	≥3-<5%		
	Acute Tox. 3, H331; Skin Corr. 1A, H314; Eye Dam. 1, H318; Nacute Tox. 4, H302; Acute Tox. 4, H312; Flam. Liq. 4, H227			

[•] Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

This product is a thick paste, therefore inhalation is extremely unlikely.

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If swallowed in large quantities seek medical attention.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

. . 1

Printing date 28.07.2023 Revision: 28.07.2023

Trade name: ClearTempTM LC

(Contd. of page 2)

5 Fire Fighting Measures

· Suitable extinguishing agents:

Foam, dry chemical, carbon dioxide

Use fire extinguishing methods suitable to surrounding conditions.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling:

Avoid contact with eyes, skin, and clothing. Use suitable protective equipment.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from exposure to the light.

See product labelling.

Keep container tightly sealed.

· Specific end use(s) Professional Temporary Veneer Cement

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

79-41-4 Methacrylic Acid

WES Long-term value: 70 mg/m³, 20 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)

Printing date 28.07.2023 Revision: 28.07.2023

Trade name: ClearTempTM LC

(Contd. of page 3)

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and Chemical Properties

· General Information

· Appearance:

Form:

Colour:
Odour:
Odour threshold:
pH-value:

Paste

Light yellow

Characteristic

Not determined.

Not determined.

· Change in condition

Melting point/freezing point:
 Initial boiling point and boiling range:
 Flash point:
 Flammability (solid, gas):
 Decomposition temperature:
 Undetermined.
 >150 °C
 Not applicable.
 Not determined.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Laptosion times.

Lower:

Upper:

Not determined.

Not determined.

Not determined.

Not determined.

Not determined.

(Contd. on page 5)

Printing date 28.07.2023 Revision: 28.07.2023

Trade name: ClearTemp™ LC

(Contd. of page 4)

Relative density
 Vapour density
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility with

• water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

• Dynamic: Not determined. • Kinematic: Not determined.

• *Other information* No further relevant information available.

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:				
ATE (Acu	ATE (Acute Toxicity Estimates)				
Oral	LD50	26,173 mg/kg (rat)			
Dermal	LD50	12,346 mg/kg			
Inhalative	LC50/4 h	175 mg/l (rat)			
109-16-0	109-16-0 Triethylene Glycol Dimethacrylate				
Oral	LD50	>5,000 mg/kg (rat)			
	LC50 Fish	16.4 mg/l (Fish) (Toxicity to fish)			
Dermal	LD50	>2,000 mg/kg (mouse)			
79-41-4 M	79-41-4 Methacrylic Acid				
Oral	LD50	1,250 mg/kg (mouse)			
		1,060 mg/kg (rat)			

· Skin corrosion/irritation Causes skin irritation.

LC50 Fish 86 mg/l (Fish)

Dermal

LD50

Inhalative LC50/4 h

· Serious eye damage/irritation Causes serious eye irritation.

7.1 mg/l (rat)

· Respiratory or skin sensitisation May cause an allergic skin reaction.

1,200 mg/kg (rabbit)

500 mg/kg (rabbit)

1,000 mg/kg (Guinea pig)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 28.07.2023 Revision: 28.07.2023

Trade name: ClearTempTM LC

(Contd. of page 5)

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

· Toxicity

· Aquatic toxicity:		
109-16-0 Triethylene Glycol Dimethacrylate		
EC50	>100 mg/kg (Algae)	
Biodegradability	28 days (Aerobic) (Biodegradability testing)	
Aqua toxicity	32 mg/l (daphnia) (No Observed Effect Concentration)	
79-41-4 Methacrylic Acid		
EC50	17,000 mg/kg (Algae)	
	<180 mg/kg (daphnia) (Toxicity to aquatic invertebrates)	

- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Dispose of contents/container in accordance with international, federal, state, and local regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

n

- · UN-Number
- · ADG, ADN, IMDG, IATA not regulated
- · UN proper shipping name
- · ADG, ADN, IMDG, IATA not regulated
- · Transport hazard class(es)
- · ADG, ADN, IMDG, IATA
- Class not regulated

(Contd. on page 7)

Printing date 28.07.2023 *Revision:* 28.07.2023

Trade name: ClearTempTM LC

		(Contd. of page 6)
· Packing group · ADG, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
· Special precautions for user	Not Applicable	
· Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
· UN "Model Regulation":	not regulated	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Industrial Chemicals		
109-16-0	Triethylene Glycol Dimethacrylate	
	Trade Secret	
	Methacrylic Acid	
9005-65-6	Sorbitan Monooleate, Ethoxylated	
	Ethyl-4-Dimethylamino Benzoate	
	Organophosphine Oxide	
10373-78-1	Camphorquinone	

· Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment:

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases from Section 3

H227 Combustible liquid.

H252 Self-heating in large quantities; may catch fire.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

- · Department issuing SDS: Environmental, Health, and Safety
- · Contact: Customer Service

(Contd. on page 8)

Printing date 28.07.2023 Revision: 28.07.2023

Trade name: ClearTempTM LC

(Contd. of page 7)

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 4: Flammable liquids - Category 4

Self-heat. 2: Self-heating substances and mixtures – Category 2

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 3: Acute toxicity - Category 3

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Serious eye damage/irritation - Category 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

* Data compared to the previous version altered.

ΑU