

Printing date 28.07.2023 Revision: 28.07.2023

## 1 Identification

- · Product identifier
- · Trade name: Chromaclone<sup>TM</sup> Ortho & Chromaclone<sup>TM</sup> 5 Day Stability
- · Article number: SDS 298-001.05R02, 4033, 4034, 5502, 5503.
- Relevant identified uses of the substance or mixture and uses advised against

Professional Dental Impression Material

- $\cdot \textit{Application of the substance / the mixture } \textit{Professional Dental Impression Material} \\$
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ultradent Products, Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

onlineordersupport@ultradent.com

Ultradent Australia Pty Ltd. Level 22/2 Market Street

Sydney NSW 2000

Australia

Email: info.anz@ultradent.com Toll Free: 1-800-290929

- · Further information obtainable from: Customer Service
- · Emergency telephone number:

CHEMTREC (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887

# 2 Hazard(s) Identification

· Classification of the substance or mixture



STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- · Label elements
- · GHS label elements Void
- · Hazard pictograms GHS08
- · Signal word Warning
- · Hazard-determining components of labelling:

Cristobalite

· Hazard statements

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P314 Get medical advice/attention if you feel unwell.

(Contd. on page 2)

Printing date 28.07.2023 Revision: 28.07.2023

Trade name: Chromaclone<sup>TM</sup> Ortho & Chromaclone<sup>TM</sup> 5 Day Stability

(Contd. of page 1)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## 3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
14464-46-1	Cristobalite	≥0-<10%
	<b>♦</b> STOT RE 1, H372	
	Dipotassium Hexafluototitanate	≥1-<3%
	♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H332; STOT SE 3, H335	

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

# 4 First Aid Measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

· After skin contact:

Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

· After eye contact:

Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

· After swallowing:

Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

For symptoms and effects caused by the contained substances, see chap. 11.

Indication of any immediate medical attention and special treatment needed Information not available

# 5 Fire Fighting Measures

· Suitable extinguishing agents:

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. Use fire extinguishing methods suitable to surrounding conditions.

· Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products. The product is combustible and, when the powder is released into the air in sufficient concentrations and in the presence of a source of ignition, it can create explosive mixtures with air. Fires may start or get worse by leakage of the solid product from the container, when it reaches high temperatures or through contact with sources of ignition.

During heating or in case of fire poisonous gases are produced.

· Protective equipment:

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances (Contd. on page 3)

Printing date 28.07.2023 Revision: 28.07.2023

Trade name: Chromaclone<sup>TM</sup> Ortho & Chromaclone<sup>TM</sup> 5 Day Stability

(Contd. of page 2)

potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

Mouth respiratory protective device.

## 6 Accidental Release Measures

#### · Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

Mount respiratory protective device.

· Environmental precautions:

The product must not penetrate into the sewer system or come into contact with surface water or ground water. Do not allow to enter sewers/surface or ground water.

Methods and material for containment and cleaning up:

Collect the leaked product and place it in containers for recovery or disposal. If the product is flammable, use explosion-proof equipment. If there are no contraindications, use jets of water to eliminate product residues. Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13. Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and Storage

- · Handling:
- · Precautions for safe handling:

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

Ensure good ventilation/exhaustion at the workplace.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · Storage.
- Requirements to be met by storerooms and receptacles:

Store only in the original container. Store the containers sealed, in a well ventilated place and dry place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: See product labelling.
- · Specific end use(s) Professional Dental Impression Material

ΑI

Printing date 28.07.2023 Revision: 28.07.2023

Trade name: Chromaclone<sup>TM</sup> Ortho & Chromaclone<sup>TM</sup> 5 Day Stability

(Contd. of page 3)

## 8 Exposure controls and personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

#### 14464-46-1 Cristobalite

WES Long-term value: 0.05 mg/m³

respirable dust

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local ventilation. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Exposure levels must be kept as low as possible to avoid significant build-up in the organism. Manage personal protective equipment so as to guarantee maximum protection (e.g. reduction in replacement times). The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

### Respiratory protection:

Use a type P filtering facemask (see standard EN 149) or equivalent device, whose class (1, 2 or 3) and effective need, must be defined according to the outcome of risk assessment.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

## · Protection of hands:

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.



## Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves


The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## · Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eve protection:

Wear airtight protective goggles (see standard EN 166).



Printing date 28.07.2023 Revision: 28.07.2023

Trade name: Chromaclone<sup>TM</sup> Ortho & Chromaclone<sup>TM</sup> 5 Day Stability

(Contd. of page 4)

· Body protection:

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

## 9 Physical and Chemical Properties

· General Information

· Appearance:

Form: Powder
Colour: Light blue
Odour: Bubble Gum
Odour threshold: Not determined.
pH-value: Not applicable.

· Change in condition

Melting point/freezing point:

 Initial boiling point and boiling range:
 Flash point:
 Flammability (solid, gas):
 Decomposition temperature:

 Not applicable

 Not Determined

 Not determined
 Not determined

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.
Vapour pressure: Not applicable.

Density at 20 °C: >0.31545-<11.03 g/cm³</li>
 Bulk density: >315-<11,030 kg/m³</li>
 Relative density at 20 °C 0.2-0.5 g/cm³

· Vapour density Not applicable. • Evaporation rate Not applicable.

· Solubility in / Miscibility with

water: Partially soluble in water

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not applicable.Kinematic: Not applicable.

• Other information No further relevant information available.

# 10 Stability and Reactivity

- · Reactivity There are no particular risks of reaction with other substances in normal conditions of use.
- · Thermal decomposition / conditions to be avoided:

The product is stable in normal conditions of use and storage.

- · Possibility of hazardous reactions: The powders are potentially explosive when mixed with air.
- · Conditions to avoid: Avoid environmental dust build-up. Avoid moisture and high temperatures.
- · Incompatible materials: Not known
- · Hazardous decomposition products: Not known

ΑU

Printing date 28.07.2023 Revision: 28.07.2023

Trade name: Chromaclone<sup>TM</sup> Ortho & Chromaclone<sup>TM</sup> 5 Day Stability

(Contd. of page 5)

# 11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

### · LD/LC50 values relevant for classification:

## ATE (Acute Toxicity Estimates)

Inhalative LC50/4 h >367-1,100 mg/l

### 16919-27-0 Dipotassium Hexafluototitanate

Oral LC50 Fish 172.4 mg/l (Brachydanio rerio) (Toxicity to fish)

#### · Skin corrosion/irritation

Does not meet the classification criteria for this hazard class.

Based on available data, the classification criteria are not met.

#### · Serious eye damage/irritation

Does not meet the classification criteria for this hazard class.

Based on available data, the classification criteria are not met.

### · Respiratory or skin sensitisation

Does not meet the classification criteria for this hazard class.

Based on available data, the classification criteria are not met.

#### · Germ cell mutagenicity

Does not meet the classification criteria for this hazard class.

Based on available data, the classification criteria are not met.

## · Carcinogenicity

Does not meet the classification criteria for this hazard class.

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Does not meet the classification criteria for this hazard class.

Based on available data, the classification criteria are not met.

#### · STOT-single exposure

Does not meet the classification criteria for this hazard class.

Based on available data, the classification criteria are not met.

#### · STOT-repeated exposure

May cause damage to organs.

May cause damage to organs through prolonged or repeated exposure.

### · Aspiration hazard

Does not meet the classification criteria for this hazard class.

Based on available data, the classification criteria are not met.

# 12 Ecological Information

· Toxicity

## · Aquatic toxicity:

#### 16919-27-0 Dipotassium Hexafluototitanate

EC50 0.646 mg/kg (Algae) (Toxicity to aquatic invertebrates)

48.2 mg/kg (Crustacean) (Toxicity to fish)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential Information not available
- · Mobility in soil Information not available

(Contd. on page 7)

Printing date 28.07.2023 Revision: 28.07.2023

Trade name: Chromaclone<sup>TM</sup> Ortho & Chromaclone<sup>TM</sup> 5 Day Stability

(Contd. of page 6)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects Information not available

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Disposal should be in accordance with applicable regional, national and local laws and regulations. Dispose of contents/container in accordance with international, federal, state, and local regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN-Number		
ADG, ADN, IMDG, IATA	not regulated	
UN proper shipping name ADG, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADG, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
ADG, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not Applicable	
Transport in bulk according to Annex I	of Marpol	
and the IBC Code	Not applicable.	

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Australian Inventory of Industrial Chemicals

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

(Contd. on page 8)

Printing date 28.07.2023 Revision: 28.07.2023

Trade name: Chromaclone<sup>TM</sup> Ortho & Chromaclone<sup>TM</sup> 5 Day Stability

(Contd. of page 7)

### · Australia: Priority Existing Chemicals

None of the ingredients is listed.

#### · Directive 2012/18/EU

#### · Named dangerous substances - ANNEX I

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

Product: None

Contained substance: None

Substances in Candidate List (Art. 59 REACH): None.

Substances subject to authorisarion (Annex XIV REACH): None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012: None

Substances subject to the Rotterdam Convention: None Substances subject to the Stockholm Convention: None

Healthcare controls: Information not available.

None of the ingredients is listed.

#### · Chemical safety assessment:

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases from Section 3

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

- · Department issuing SDS: Environmental, Health, and Safety
- · Contact: Customer Service
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

\* Data compared to the previous version altered.