

Printing date 03.08.2023 Revision: 03.08.2023

l Identification

- · Product identifier
- · Trade name: Thermo CloneTM VPS (Regular, Fast, SuperLight, Light, Medium, Heavy)
- · Article number: SDS 379-001.03R02, 4058, 4059, 4060, 4065, 4066, 4067, 4068, 4069, 4070, 4076, 4077, 4057
- · Relevant identified uses of the substance or mixture and uses advised against Professional Dental Impression Material
- · Application of the substance / the mixture Professional Dental Impression Material
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ultradent Products, Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

onlineordersupport@ultradent.com

Ultradent Australia Pty Ltd. Level 22/2 Market Street Sydney NSW 2000 Australia

Email: info.anz@ultradent.com

Toll Free: 1-800-290929

- · Further information obtainable from: Customer Service
- · Emergency telephone number:

CHEMTREC (NORTH AMERICA): (800) 424-9300 (INTERNATIONAL): +(703) 527-3887

2 Hazard(s) Identification

· Classification of the substance or mixture

The substance is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Preparation of Silicone Polymers and Fillers with Platinum Catalyst (ppm range)

4 First Aid Measures

- · General information: No special measures required.
- · After inhalation: This product is a thick paste, therefore inhalation is extremely unlikely.

(Contd. on page 2)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Thermo Clone™ VPS (Regular, Fast, SuperLight, Light, Medium, Heavy)

(Contd. of page 1)

- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

· Suitable extinguishing agents:

Water fog

Foam

Carbon dioxide

Use fire extinguishing methods suitable to surrounding conditions.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling: No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: See product labelling.
- · Specific end use(s) Professional Dental Impression Material

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

· Respiratory protection: Not required.

(Contd. on page 3)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Thermo Clone™ VPS (Regular, Fast, SuperLight, Light, Medium, Heavy)

(Contd. of page 2)

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Single use gloves

Polvethylene

Unsuitable material: NR (Natural rubber (Caoutchouc), Natural latex)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Goggles recommended during refilling
- · Body protection: Protective work clothing

9 Physical and Chemical Properties

· General Information

· Appearance:

· Form: Paste

· Colour: According to product specification

• Odour: Odourless
• Odour threshold: Not determined.
• pH-value: Not determined.

· Change in condition

Melting point/freezing point:

 Initial boiling point and boiling range:
 Flash point:

 Flammability (solid, gas):
 Decomposition temperature:
 Auto-ignition temperature:
 Not applicable.
 Not determined.
 Not determined.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.
Vapour pressure: Not determined.
Density at 20 °C: 1.3-1.6 g/cm³
Relative density Not determined.
Vapour density Not determined.
Evaporation rate Not determined.

· Solubility in / Miscibility with

• water: Insoluble • Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined.Kinematic: Not determined.

• Other information No further relevant information available.

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Thermo CloneTM VPS (Regular, Fast, SuperLight, Light, Medium, Heavy)

(Contd. of page 3)

10 Stability and Reactivity

- · Reactivity Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information: Oral LD50 > 2,000 mg/kg Rat

12 Ecological Information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Doesn't get into the sewage water as long as the process is carried out according to regulations.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Dispose of contents/container in accordance with international, federal, state, and local regulations.

(Contd. on page 5)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Thermo CloneTM VPS (Regular, Fast, SuperLight, Light, Medium, Heavy)

(Contd. of page 4)

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

Transport information		
· UN-Number · ADG, IMDG, IATA	not regulated	
· UN proper shipping name · ADG, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· ADG, ADN, IMDG, IATA · Class	not regulated	
· Packing group · ADG, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not Applicable	
· Transport in bulk according to Annex I. and the IBC Code	I of Marpol Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Australian Inventory of Industrial Chemicals

Substance is not listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

Substance is not listed.

· Australia: Priority Existing Chemicals

Substance is not listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Chemical safety assessment:

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health, and Safety
- · Contact: Customer Service
- · Abbreviations and acronvms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 6)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Thermo Clone™ VPS (Regular, Fast, SuperLight, Light, Medium, Heavy)

(Contd. of page 5)

CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

* * Data compared to the previous version altered.