

Page 1/8

Safety Data Sheet according to WHS Regulations

Printing date 03.08.2023

*

Revision: 03.08.2023

1 Identification	
· Product identifier	
Trade name: J-Temp TM	
 Article number: SDS 445-001.02R02, 10076 Relevant identified uses of the substance or Application of the substance / the mixture L 	mixture and uses advised against Light-Cured Temporary Resin
 Details of the supplier of the safety data she Manufacturer/Supplier: Ultradent Products, Inc. 505 W. Ultradent Drive (10200 S) South Jordan, UT 84095-3942 USA onlineordersupport@ultradent.com 	et
Ultradent Australia Pty Ltd. Level 22/2 Market Street Sydney NSW 2000 Australia Email: info.anz@ultradent.com Toll Free: 1-800-290929	
• Further information obtainable from: Custo • Emergency telephone number: CHEMTREC (NORTH AMERICA) :(800) 42 (INTERNATIONAL) : +(703) 52	4-9300
2 Hazard(s) Identification	
· Classification of the substance or mixture	
Skin Irrit. 2	H315 Causes skin irritation.
Serious eye damage/irritation – Category 2A	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
• Label elements • GHS label elements Void • Hazard pictograms GHS07 • Signal word Warning	
 Hazard-determining components of labellin Triethylene Glycol Dimethacrylate Hydroxypropyl Methacrylate Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. 	_
	(Contd. on page 2) AU —

Printing date 03.08.2023

Revision: 03.08.2023

$\textit{Trade name: J-Temp^{\text{TM}}}$

	(Contd. of page 1)
· Precautionary st	tatements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

omponents:	
Triethylene Glycol Dimethacrylate	>1-<10%
Mono-2-(Methacryloyloxy) Ethyl Succinate	>1-<10%
Skin Irrit. 2, H315; Serious eye damage/irritation – Category 2A, H319	
Hydroxypropyl Methacrylate	>1-<10%
🚸 Serious eye damage/irritation – Category 2A, H319; Skin Sens. 1, H317	
Trade Secret	>0.1-<5%
📀 Skin Corr. 1A, H314; Eye Dam. 1, H318	
	<1%
♦ Acute Tox. 3, H331; ♦ Skin Corr. 1A, H314; Eye Dam. 1, H318; ♦ Acute Tox. 4, H302; Acute Tox. 4, H312; Flam. Liq. 4, H227	
Organophosphine Oxide	<1%
(1) Skin Sens. 1, H317	
	Triethylene Glycol Dimethacrylate

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:
- If skin irritation continues, consult a doctor.
- Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

AU

Printing date 03.08.2023

Revision: 03.08.2023

(Contd. of page 2)

Trade name: J-Temp™

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire Fighting Measures

· Suitable extinguishing agents:

Water spray, fog, or mist, foam, dry chemical, carbon dioxide

Use fire extinguishing methods suitable to surrounding conditions.

- Special hazards arising from the substance or mixture No further relevant information available.
- Protective equipment: Wear fully protective suit.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures Not required.

• *Environmental precautions:* Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

· Handling:

• **Precautions for safe handling:** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

• Information about fire - and explosion protection: No special measures required.

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: See product labelling.

Keep container tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

79-41-4 Methacrylic Acid

WES Long-term value: 70 mg/m³, 20 ppm

• Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

U -

Printing date 03.08.2023

Revision: 03.08.2023

$Trade name: J-Temp^{TM}$

(Contd. of page 3)

Personal protective equipment:
General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

General Information		
Appearance:		
Form:	Medium Viscosity	
Colour:	Violet	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not applicable (non-aqueous)	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	

Printing date 03.08.2023

Revision: 03.08.2023

Trade name: J-Temp™

	(Contd. of page 4
· Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density:	Not determined.
Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· water:	Fully miscible.
• Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
• Other information	No further relevant information available.

10 Stability and Reactivity

- · Reactivity Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

· Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

Oral	LD50	>5,000 mg/kg (rat)
	LC50 Fish	16.4 mg/l (Fish) (Toxicity to fish)
Dermal	LD50	>2,000 mg/kg (mouse)
79-41-4 M	ethacrylic A	Acid
Oral	LD50	1,250 mg/kg (mouse)
		1,060 mg/kg (rat)
		1,200 mg/kg (rabbit)
	LC50 Fish	86 mg/l (Fish)
Dermal	LD50	1,000 mg/kg (Guinea pig)
		500 mg/kg (rabbit)
Inhalative	LC50/4 h	7.1 mg/l (rat)
162881-26	-7 Organop	hosphine Oxide
Oral	LD50	>2,000 mg/kg (rat)
	LC50 Fish	>0.09 mg/l (Fish) (Toxicity to fish)
Dermal	LD50	>2,000 mg/kg (rat)

(Contd. on page 6)

Printing date 03.08.2023

Revision: 03.08.2023

(Contd. of page 5)

Trade name: J-Temp™

- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- $\cdot \textit{STOT-single exposure Based on available data, the classification criteria are not met.}$
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

Biodegradability 28 a Aqua toxicity 32 a 79-41-4 Methacrylic Acid 32 a EC50 17, a 162881-26-7 Organophosphine Oxide 32 b	a crylate 00 mg/kg (Algae) days (Aerobic) (Biodegradability testing) mg/l (daphnia) (No Observed Effect Concentration)
Biodegradability 28 a Aqua toxicity 32 a 79-41-4 Methacrylic Acid 17,0 EC50 17,0 162881-26-7 Organophosphine Oxide 140	days (Aerobic) (Biodegradability testing)
Aqua toxicity 32 m 79-41-4 Methacrylic Acid 17, 0 EC50 17, 0 162881-26-7 Organophosphine Oxide	
79-41-4 Methacrylic Acid EC50 17,0 <18	mg/l (daphnia) (No Observed Effect Concentration)
EC50 17, <18 162881-26-7 Organophosphine Oxide	
<162881-26-7 Organophosphine Oxide	
162881-26-7 Organophosphine Oxide	000 mg/kg (Algae)
	80 mg/kg (daphnia) (Toxicity to aquatic invertebrates)
EC50 (statis) >1	e
EC50 (static) > 1.	175 mg/kg (daphnia) (Toxicity to aquatic invertebrates)
Aqua toxicity $\geq 0.$	008 mg/l (daphnia) (Daphnia Magna Reproduction Test)
Toxicity to Aquatic Plants (static) >0 .	26 mg/l (Plant) (Toxicity to algae)
Persistence and degradability No furth	
Behaviour in environmental systems:	
Bioaccumulative potential No further	
Mobility in soil No further relevant inf	formation available.
Additional ecological information:	
General notes:	
	tion) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or larg Results of PBT and vPvB assessment	ge quantities of it to reach ground water, water course or sewage system.

- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Dispose of contents/container in accordance with international, federal, state, and local regulations.

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

(Contd. on page 7)

AT

[•] Uncleaned packaging:

Printing date 03.08.2023

Revision: 03.08.2023

Trade name: J-TempTM

(Contd. of page 6)

UN-Number	not regulated	
ADG, IMDG, IATA	not regulated	
UN proper shipping name ADG, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADG, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
ADG, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not Applicable	
Transport in bulk according to Annex I	l of Marpol	
and the IBC Code	Not applicable.	

15 Regulatory	15 Regulatory information		
· Safety, health	h and environmental regulations/legislation specific for the substance or mixture		
· Australian In	wentory of Industrial Chemicals		
9033-79-8	Sodium Acrylate Copolymer		
109-16-0	Triethylene Glycol Dimethacrylate		
20882-04-6	Mono-2-(Methacryloyloxy) Ethyl Succinate		
27813-02-1	Hydroxypropyl Methacrylate		
	Trade Secret		
10287-53-3	Ethyl-4-Dimethylamino Benzoate		
79-41-4	Methacrylic Acid		
162881-26-7	Organophosphine Oxide		
10373-78-1	Camphorquinone		
75-56-9	Methyloxirane		
	Co-Cr-AL Spinel Blue Green		
1332-37-2	Red Iron Oxide		
14808-60-7	Silica Glass		

• Standard for the Uniform Scheduling of Medicines and Poisons

75-56-9 Methyloxirane

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A chemical safety assessment has not been carried out.

(Contd. on page 8)

*S*7

AU

Printing date 03.08.2023

Revision: 03.08.2023

Trade name: J-TempTM

(Contd. of page 7)

6 Other information This information is based on our pro	esent knowledge. However, this shall not constitute a guarantee for any
	establish a legally valid contractual relationship.
• Relevant phrases from Section 3	
H227 Combustible liquid.	
H302 Harmful if swallowed.	
H312 Harmful in contact with skin.	
H314 Causes severe skin burns and ey	e damage
H315 Causes severe skin ourns and cy H315 Causes skin irritation.	e aamage.
H317 May cause an allergic skin react	tion
H318 Causes serious eye damage.	
H319 Causes serious eye irritation.	
H331 Toxic if inhaled.	
· Department issuing SDS: Environmer	ntal, Health, and Safety
· Contact: Customer Service	
• Abbreviations and acronyms:	
	des marchandises dangereuses par route (European Agreement Concerning the Internation
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dange	rous Goods
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Comm	
ELINCS: European List of Notified Chemical S	
CAS: Chemical Abstracts Service (division of th	ie American Chemical Society)
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	e
Flam. Liq. 4: Flammable liquids – Category 4	
Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 3: Acute toxicity – Category 3	
Skin Corr. 1A: Skin corrosion/irritation – Cates	
Skin Irrit. 2: Skin corrosion/irritation – Catego	
Eye Dam. 1: Serious eye damage/eye irritation	– Category 1 Serious eye damage/eye irritation – Category 2A
Skin Sens. 1: Skin sensitisation – Category 2A: S	erious eye aamage/eye irritation – Category 2A
• * Data compared to the previous versi	• 7, 7