

Date of issue: 28.03.2025

Revision: 28.03.2025

1 Identification

• Other means of identification

- · Trade name: OpalescenceTM Quick PF 45%
- · Article number: SDS 89-001.12R01, 15073, 10817, 13691, 14544, 15292
- **Relevant identified uses of the substance or mixture and uses advised against** Professional Dental Teeth Whitening Gel
- · Application of the substance / the mixture Professional Dental Teeth Whitening Gel

• Details of the supplier of the safety data sheet • Manufacturer/Supplier: Ultradent Products, Inc.

505 W. Ultradent Drive (10200 S) South Jordan, UT 84095-3942 USA onlineordersupport@ultradent.com

Ultradent Australia Pty Ltd. Level 22/2 Market Street Sydney NSW 2000 Australia Email: info.anz@ultradent.com Toll Free: 1-800-290929

• Further information obtainable from: Customer Service • Emergency telephone number: CHEMTREC (NORTH AMERICA) : +1 (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887

2 Hazard(s) Identification

· Classification of the substance or mixture



Skin corrosion/irritation – Category 2 H315 Causes skin irritation. Eye damage/irritation – Category 2A H319 Causes serious eye irritation.

· Label elements

- · GHS label elements Void
- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard statements
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

· Precautionary statements

- *P101* If medical advice is needed, have product container or label at hand.
- *P102 Keep out of reach of children.*
- P103 Read label before use.
- *P264 Wash thoroughly after handling.*
- *P280 Wear protective gloves / eye protection / face protection.*

(Contd. on page 2)

Date of issue: 28.03.2025

Revision: 28.03.2025

Trade name: Opalescence[™] Quick PF 45%

(Contd. of page 1)

P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.

3 Composition and Information on Ingredients

• Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

• Dangerous components:

		None
·10-≤25%	-5 Glycerin	56-81-5
	Eye damage/irritation – Category 2A, H319	
·10-≤25%	-6 Carbamide Peroxide	124-43-6
	Oxidising solids - Category 3, H272; 🔗 Skin corrosion/irritation – Category 1B, H314; Eye damage/irritation – Category 1, H318	
≥8-<10%	-1 Hydrogen Peroxide	7722-84-1
	♦ Oxidising liquids - Category 1, H271; ♦ Skin corrosion/irritation – Category 1A, H314; ↑ Acute toxicity - oral – Category 4, H302; Acute toxicity - inhalation – Category 4, H332	
≥3-<5%	-2 Sodium Hydroxide	1310-73-2
	Acute toxicity - oral – Category 3, H301; Skin corrosion/irritation – Category 1A, H314; Eye damage/irritation – Category 1, H318; Acute toxicity - dermal – Category 4, H312	
≥1-<10%	-1 Potassium Nitrate	7757-79-1
	Oxidising solids - Category 2, H272; Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319; Specific target organ toxicity (single exposure) – Category 3, H335-H336	
≥1-<10%	-4 Sodium Fluoride	7681-49-4
	 Acute toxicity - oral – Category 3, H301; Acute toxicity - dermal – Category 2, H310; Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319 	
20.1-<1%	-4 Oils, Peppermint	8006-90-4
	 Aspiration hazard – Category 1, H304; Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319; Skin sensitisation – Category 1, H317; Flammable liquids – Category 4, H227 	
		• Additional

4 First Aid Measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation:

This product is a viscous gel, therefore chance of inhalation is extremely low.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)

AU

Date of issue: 28.03.2025

Revision: 28.03.2025

Trade name: Opalescence[™] Quick PF 45%

- After swallowing: If swallowed in large quantities seek medical attention.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire Fighting Measures

- Suitable extinguishing agents:
- Water spray
- Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture No further relevant information available.
- Protective equipment: Wear self-contained respiratory protective device.

6 Accidental Release Measures

• Personal precautions, protective equipment and emergency procedures Not required.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

· Handling:

- Precautions for safe handling: No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- See product labelling.
- Keep container tightly sealed.
- · Specific end use(s) Professional Dental Teeth Whitening Gel

8 Exposure controls and personal protection

· Appropriate engineering controls No further data; see section 7.

· Ingredients with limit values that require monitoring at the workplace:

56-81-5 Glycerin

TWA Short-term value: 10 mg/m³

WES Long-term value: 10 mg/m³ inhalable dust

7722-84-1 Hydrogen Peroxide

WES Long-term value: 1.4 mg/m³, 1 ppm

(Contd. on page 4)

(Contd. of page 2)

Date of issue: 28.03.2025

Revision: 28.03.2025

(Contd. of page 3)

AU

Trade name: Opalescence[™] Quick PF 45%

1310-73-2 Sodium Hydroxide

WES Peak limitation: 2 mg/m³

- Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- · Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

General Information		
Appearance:		
Form:	Gel	
· Colour:	Colourless	
Odour:	Mint	
Odour threshold:	Not determined.	
pH-value at 20 °C:	5.6-7.2	
Change in condition		
• Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling rang	e: Undetermined.	
Flash point:	Not applicable.	
· Flammability	Not applicable.	
Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
• Explosive properties:	Product does not present an explosion hazard.	

Date of issue: 28.03.2025

Revision: 28.03.2025

Trade name: OpalescenceTM Quick PF 45%

		(Contd. of page 4
· Explosion limits:		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20 °C:	1.27 g/cm ³	
Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Partly soluble.	
• Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
· Kinematic:	Not determined.	
• Other information		
· Particle characteristics	Not applicable.	
· Physical state	Fluid	

10 Stability and Reactivity

• *Reactivity* No further relevant information available.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

· Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

ATE (Act	ute Toxicity Estimates	
Oral	LD50	1,569-2,051 mg/kg
Dermal	LD50	11,602 mg/kg
Inhalative	e LC50/4 h	120 mg/l
56-81-5 (Ilycerin	
Oral	LD50	7,750 mg/kg (guinea pig)
		4,100 mg/kg (mouse)
		5,570 mg/kg (rat)
		27,000 mg/kg (rabbit)
	LC50 Fish	>5,000 mg/l (Fish)
Dermal	LD50	>21,900 mg/kg (rat)
		10,000 mg/kg (rabbit)
124-43-6	Carbamide Peroxide	
Oral	LD50	>2,000 mg/kg (rat)

Date of issue: 28.03.2025

Revision: 28.03.2025

Trade name: Opalescence[™] Quick PF 45%

		(Contd. of pag
7722-84-1	l Hydrogen Peroxide	
Oral	LC50 Fish	16.4 mg/l (Fish)
1310-73-2	2 Sodium Hydroxide	
Oral	LD50	130-340 mg/kg (rat)
	LC50 Fish	160 mg/l (Fish)
Dermal	LD50	1,350 mg/kg (rabbit)
	Absolute lethal concentration	180 ppm (Fish)
7757-79-1	Potassium Nitrate	
Oral	LD50	3,015 mg/kg (rat)
		1,901 mg/kg (rabbit)
	LC50 Fish	1,378 mg/l (Fish)
Dermal	LD50	>5,000 mg/kg (rat)
	LC50(Daphnia magna)	490 mg/l (daphnia)
7681-49-4	4 Sodium Fluoride	
Oral	LD50	52 mg/kg (mouse)
	LC50 Fish (static)	17 mg/l (Fish)
Dermal	LD50	175 mg/kg (rat)
8006-90-4	Oils, Peppermint	
Oral	LD50	2,490 mg/kg (mouse)
		2,426 mg/kg (rat)

• Primary irritant effect:

• Skin corrosion/irritation Causes skin irritation.

• Serious eye damage/irritation Causes serious eye irritation.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.*

• STOT-single exposure Based on available data, the classification criteria are not met.

 $\cdot \textit{STOT-repeated exposure Based on available data, the classification criteria are not met.}$

· Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

• Toxicity

• Aquatic toxicit	y:			
56-81-5 Glycer	rin			
EC50	>10,000 mg/kg (Bacteria)			
7722-84-1 Hyd	Irogen Peroxide			
EC50	1.38 mg/l (Algae)			
	2.4 mg/l (daphnia)			
1310-73-2 Sod	ium Hydroxide			
EC50	40.38 mg/kg (Water Flea)			
7681-49-4 Sod	7681-49-4 Sodium Fluoride			
EC50	272 mg/kg (Algae)			
	272 mg/kg (Algae) 98 mg/kg (daphnia)			
	(Contd. on page 7)			

Date of issue: 28.03.2025

Revision: 28.03.2025

(Contd. of page 6)

Trade name: Opalescence[™] Quick PF 45%

Algae Toxicity (static) 7 mg/l (Algae)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

- Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable. • *vPvB:* Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation
- Dispose of contents/container in accordance with international, federal, state, and local regulations.
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number · ADG, ADN, IMDG, IATA	not regulated	
· · · ·	norregulated	
· UN proper shipping name · ADG, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
ADG, ADN, IMDG, IATA		
· Class	not regulated	
Packing group		
ADG, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not Applicable	
Transport in bulk according to Annex I	I of Marpol	
and the IBC Code	Not applicable.	

(Contd. on page 8)

Date of issue: 28.03.2025

Revision: 28.03.2025

Trade name: OpalescenceTM Quick PF 45%

(Contd. of page 7)

S5, S6, S10

S5, S6, S10

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Australian Inventory of Industrial Chemicals

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

124-43-6 Carbamide Peroxide

7722-84-1 Hydrogen Peroxide

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment:

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases from Section 3 H227 Combustible liquid. H271 May cause fire or explosion; strong oxidizer. H272 May intensify fire; oxidizer. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H310 Fatal in contact with skin. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. · Department issuing SDS: Environmental, Health, and Safety · Contact: Customer Service • Abbreviations and acronvms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

LD50: Lethal dose, 50 percent

Date of issue: 28.03.2025

Revision: 28.03.2025

Trade name: OpalescenceTM Quick PF 45%

	(Contd. of page 8)
NIOSH: National Institute for Occupational Safety	
Flammable liquids – Category 4: Flammable liquids – Category 4	
Oxidising liquids - Category 1: Oxidizing liquids – Category 1	
Oxidising solids - Category 2: Oxidizing solids – Category 2	
Oxidising solids - Category 3: Oxidizing solids – Category 3	
Acute toxicity - oral – Category 3: Acute toxicity – Category 3	
Acute toxicity - oral – Category 4: Acute toxicity – Category 4	
Acute toxicity - dermal – Category 2: Acute toxicity – Category 2	
Skin corrosion/irritation – Category 1A: Skin corrosion/irritation – Category 1A	
Skin corrosion/irritation – Category 1B: Skin corrosion/irritation – Category 1B	
Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2	
Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1	
Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A	
Skin sensitisation – Category 1: Skin sensitisation – Category 1	
Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category	, 3
Aspiration hazard – Category 1: Aspiration hazard – Category 1	
• * Data compared to the previous version altered.	
	AU